

Web DESIGN

עיצוב אתר למצגות וידאו

תוכנות: פוטושופ, אילוסטרייטור

caribbean
downloads

Search...



17 October 2013

thumbs list


Latest Videos >



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation

637,156 Views 95 min



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation


635,152 Views 65 min



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation

630,106 Views 48 min



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation

530,156 Views 30 min

Caribbean Videos >



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation

237,156 Views 85 min



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation


337,156 Views 65 min



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation

437,154 Views 48 min



Santa Fe police

'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation

537,150 Views 30 min





Latest Videos >

- | | | | |
|---|--|---|--|
| 1 | | <p>Santa Fe police</p> <p>'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation Santa Fe Police are seeking Robert Louis Pacheco, 32, for his suspected involvement in a Sept. 14 armed robbery of Weck's staurant on Cerrillos Road. Two men entered the estaurant behind an</p> | <p>Artist Name</p> <p>636,100 views
90 min</p> <p>Uploaded: 27.03.13</p> |
| 2 | | <p>Burn</p> <p>'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation Santa Fe Police are seeking Robert Louis Pacheco, 32, for his suspected involvement in a Sept. 14 armed robbery of Weck's staurant on Cerrillos Road. Two men entered the estaurant behind an</p> | <p>Artist Name</p> <p>636,100 views
90 min</p> <p>Uploaded: 27.03.13</p> |
| 3 | | <p>Santa Fe police</p> <p>'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation Santa Fe Police are seeking Robert Louis Pacheco, 32, for his suspected involvement in a Sept. 14 armed robbery of Weck's staurant on Cerrillos Road. Two men entered the estaurant behind an</p> | <p>Artist Name</p> <p>320,100 views
120 min</p> <p>Uploaded: 20.03.12</p> |
| 4 | | <p>Born to be wild</p> <p>'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation Santa Fe Police are seeking Robert Louis Pacheco, 32, for his suspected involvement in a Sept. 14 armed robbery of Weck's staurant on Cerrillos Road. Two men entered the estaurant behind an</p> | <p>Artist Name</p> <p>216,230 views
70 min</p> <p>Uploaded: 02.03.11</p> |
| 5 | | <p>10 Things I Hate About You</p> <p>'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation Santa Fe Police are seeking Robert Louis Pacheco, 32, for his suspected involvement in a Sept. 14 armed robbery of Weck's staurant on Cerrillos Road. Two men entered the estaurant behind an</p> | <p>Artist Name</p> <p>96,100 views
66 min</p> <p>Uploaded: 27.03.13</p> |
| 6 | | <p>Across the Universe</p> <p>'Nightly News:' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation Santa Fe Police are seeking Robert Louis Pacheco, 32, for his suspected involvement in a Sept. 14 armed robbery of Weck's staurant on Cerrillos Road. Two men entered the estaurant behind an</p> | <p>Artist Name</p> <p>77,190 views
50 min</p> <p>Uploaded: 27.06.13</p> |

Show more results

תצוגת וידאו בכניסה לדף האינטרנט

OLA 17 October 2013 Search_ thumbs list

Artist > Santa Fe Police

You are watching
Santa Fe police Trailer
2 minute left

LOADING

Unmute Mute Minimize Full Screen

17:51 26:51 30:17

Santa Fe police 637,156 Views





actor Gene Hackman slapped a homeless man in face because the homeless man assaulted him and his wife near homeless man assaulted him and his wife near downtown.downtown.

comments embed share details twitter facebook Like 41





Embed code for this video
<iframe width="480" height="302" src="http://www.casttime.tv" />

Copy code

Latest Videos >

 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 637,156 Views 95 min	 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 635,152 Views 65 min	 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 630,106 Views 48 min	 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 530,156 Views 30 min
---	--	--	--

Caribbean Videos >

 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 237,156 Views 85 min	 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 337,156 Views 65 min	 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 437,154 Views 48 min	 Santa Fe police 'Nightly News,' Boy Scout Leaders Destroy 170 Million Year Old Rock Formation 537,150 Views 30 min
---	--	--	--

עיצוב דף סטטיסטיקת טכנולוגיות במערכת ניהול



Real-Time statistics

VOD statistics

Search

Log in



Channel	File Name	Flash	IOS	Silverlight	Android	HDS HLS	Sessions Total
Ch 10	Movie_file01.mp4	410	423	436	410	410	410
Ch2	Movie_file02.mp4	310	310	310	310	310	310
CNN	Movie_file03.mp4	299	299	299	299	299	299
FOX	Movie_file04.mp4	601	601	601	601	601	601
HOP	Movie_file05.mp4	544	544	544	544	544	544
SPORTs	Movie_file06.mp4	576	626	366	666	666	666
Ch 10	Movie_file07.mp4	212	212	212	212	212	212
Ch2	Movie_file08.mp4	777	777	777	777	777	777
CNN	Movie_file09.mp4	243	243	243	243	243	243
FOX	Movie_file10.mp4	414	414	414	414	414	414
HOP	Movie_file11.mp4	399	399	399	399	399	399
SPORTs	Movie_file12.mp4	109	109	109	109	109	109
MOVIIES	Movie_file13.mp4	72	72	72	72	72	72

עיצוב UI ואייקונים למערכת ניהול




CAST TIME® Professional Streaming Solutions

OVIDIUS MEDIA MANAGER

Flash Playlists | Welcome kulio | logout


Desktop | Mobile Devices | IPTV Platform | Live Broadcast | Media Storage | Statistics | User Info | Help | **4** JoB Monitor

Job Monitor

	File Name	Status	Progress	Start Time	Encode Type	current Task	End Time
	bigbuckbunny_1300_...	Running	<div style="width: 68%;"><div>68%</div></div>	05/10/2013 17:50	Automatius 720P	Encoding (7of11)	
	bigbuckbunny_1301_...	Queue	<div style="width: 0%;"><div>Waiting...</div></div>	05/10/2013 17:50	Automatius 720P	Encoding (7of11)	
	bigbuckbunny_1302_...	Completed	<div style="width: 100%;"><div>100%</div></div>	05/10/2013 17:50	Automatius 720P	Encoding (7of11)	05/10/2013 18:54

עיצוב UI : אייקונים לאתר

Share icons in normal & Hover mode



חפש מוצר בחנות



- ראשי
- מבצעים חמים
- מוצרים חדשים
- קטלוג מוצרים
- בין לקוחותינו
- לוח יד שניה
- אודותינו
- צור קשר

מגבר של חברת EMF MA 9200



₪959
₪1329

דגם מגבר עם כל ההגנות הקיימות: MA-9200
הגנה מלאה מפני מעגל מקוצר
מעגל פתוח, התחממות, אולטראסוני ותדרי רדיו
יציבות בעומסים חוזרים ועומסי יתר
לימיטר
פרוסטור פנימי
הספק: 2750
ב-4 אוהם 2-W אוהם, W RMS 2100
ב-8 אוהם לכל צד 1200W
Uגודל בארון- 3
משקל: 35 ק"ג

1 2 3 4 5

<p>חדש</p> <p>מיקסר DJ MX-1400</p> <p>מיקסר נס בעל 7 סליידים, 2 סליידים למיקרופון + 4 ערוצי CD/PHONO ...</p> <p>₪659 ₪4249 במקום</p>	<p>חדש</p> <p>פינספוט PAR36</p> <p>הפינספוט PAR36 הוא גוף תאורה ותיקה עם אפקט קרן יחודי ...</p> <p>₪659 ₪4249 במקום</p>	<p>חדש</p> <p>מתקן תליה מרובע REVO SWEEP</p> <p>מתקן תליה למערך מרובע של REVO SWEEP</p> <p>₪659 ₪4249 במקום</p>	<p>חדש</p> <p>נגן CDI-500 MP3</p> <p>נגן CDI-500 MP3</p> <p>₪659 ₪4249 במקום</p>	<p>קטלוג מוצרים</p> <ul style="list-style-type: none"> תאורה מקצועית אודיו מקצועי מבצעים חמים
<p>במבצע</p> <p>פרוסטור דיגיטלי XP-4080</p> <p>פרוסטור דיגיטלי XP-4080</p> <p>₪659 ₪4249 במקום</p>	<p>במבצע</p> <p>DR-DMX-II</p> <p>בדוק DMX מהפכני</p> <p>₪659 ₪4249 במקום</p>	<p>במבצע</p> <p>קונדנסר אולפני BD-4061</p> <p>מקרפון קונדנסר אולפני, בעל רגישות גבוהה בתחום תדרים רחב...</p> <p>₪659 ₪4249 במקום</p>	<p>במבצע</p> <p>סאבוופר מוגבר PXW 15P</p> <p>סאבוופר מוגבר ועוצמתי 500W אלמנט 15" במארז איכותי ועמיד...</p> <p>₪659 ₪4249 במקום</p>	<p>סל הקניות</p> <p>מוצרים בסל: 0</p> <p>לקופה</p> <p>רשימת סניפים</p> <p>סניף תל-אביב רח' שטיינשניידר 14, תל-אביב טלפון: 1-800-256-256</p> <p>סניף חדרה רח' שטיינשניידר 14, חדרה טלפון: 1-800-256-256</p> <p>סניף חיפה רח' שטיינשניידר 14, קרית חיים טלפון: 1-800-256-256</p>

למוצרים נוספים < 1 2 3 4 5 >



עיצוב לאתר : תמונת נושא לדף אודות



עיצוב אתר תדמיתי למכירת ציוד מקצועי לאחסון

Enterprise Network Solutions

Storage Substitutes

High Storage Solutions

Enterprise Storage Solutions / Series / Jbod - J1800J2U

Jbod J1800 - 604U Enterprise Storage Solutions

S1800-12-2u network attached storage is an affordable NAS appliance harnessing the innovations of Windows Storage Server 2012.

- 60 x 3.5" top-loading hot-swappable HDD supported
- Zoning support (1 x 60 HDDs, 2 x 30 HDDs, 4 x 15 HDDs) Dual expanders
- Self-configuration to hot and direct (1800W 3+1 or 1350W 2+2 redundant 80+ power supply)



Enterprise storage systems category covers Fibre Channel and SCSI SANs, network attached storage, multibay systems, direct-attached storage, hard disk drives, solid state storage, disk controllers, coding appliances, storage virtualization appliances and cloud storage gateway appliances. This year's storage systems category winners are a multibay only that can be used as an off-flash system, a storage system that delivers quality of service and a flash memory array that comes with a 10-year warranty for multi-level cell (MLC) flash.

Overview
Features
Product details
Support
Downloads

Customized Jbod J1800 - 604U at 10gix Store Exclusive

24 bay 3.5" SAS/SATA-enabled unified storage
 3000+ MB/s throughput and 400,000+ IOPS
 Scalable design: maximum 18 hard drives, up to 35TB raw capacity
 SSD caching, 6tb provisioned volume
 Virtualization Ready, centralized data storage, backup, sharing and disaster recovery

Dual expander board enclosure supports 60 x 3.5"



SAS Provides Flexibility on Throughput, High Availability & Scalability

Optional Active / Active redundant hosts support
 60 x 3.5" top-loading hot-swappable HDD supported
 Data Interface: 3000Gb SAS/SATA
 Dimension: 3W x D x H mm: 480 x 885.3 x 175
 Power Supply: 1800W 3+1 or 1350W 2+2 redundant 80+ (Optional for virtual server (Hyper-V & VMware))
 Expansion Interface: 8 x mini SAS 8088 connector



SAS Provides Flexibility on Throughput, High Availability & Scalability

Optional Active / Active redundant hosts support
 60 x 3.5" top-loading hot-swappable HDD supported
 Data Interface: 3000Gb SAS/SATA
 Dimension: 3W x D x H mm: 480 x 885.3 x 175
 Power Supply: 1800W 3+1 or 1350W 2+2 redundant 80+ power supply
 Optimized for virtual server (Hyper-V & VMware)




Enterprise Storage Solutions

18 your Jbod Top 21 to achieve the ideal angle for any activity thanks to its multi-position stand. Just pull down gently until the position is perfect. Lay it flat to play board games, prop it up to watch a video, or set it on your desk to work on a project. You can even hold it in your lap while sitting on the sofa and use the wireless mouse and keyboard for long-term laptop and ultra-precise pointing.



Vivid Visuals

Developed by the same people you trust to engineer incredible HDTVs, your movies and presentations will show with exceptional HD picture quality. Equipped with a 21.2" Full HD (1920 x 1080) touchscreen LCD with "REALBACKLIT" Display for vibrant, rich colors that merge seamlessly with the screen with brightness and clarity and flexibility too. Natural shades of colors. Thanks to PS (Picture) switching for clear visuals from any viewing angle. It's perfect when gathering around a conference table to impress your clients. Or use the HDMI output to easily connect your HDTV to a compatible HD monitor or HDTV.



Speed Things Up

Boot up faster, launch apps quicker and enjoy enhanced overall performance with cutting-edge SSD (Solid State Drive) or HDD (Hard Disk Drive) storage systems.



Products

- Storage
- Backup and Archive
- Cloud
- Big Data
- Security
- Content Management

Enterprise Storage Solutions

- Information
- Customer TDC
- Primary / Central Storage Solutions
- Business Continuity Solutions
- Mobile Solutions for CRM
- Knowledge Base
- Support Forum
- Ask a Question
- System Monitor

Support

- Local
- General "how-to" questions, concepts, or technical feedback
- For technical assistance, please use our "Support discussion" section
- Customer support
- Comments, order status, delivery, tracking, shipping status

Contact

- Local - Tel Aviv
- 14 Shikunim Street, Tel Aviv, Israel
- 972-52-222222
- 972-52-222222
- info@10gix.com
- support@10gix.com
- 10gix@10gix.com
- 10gix@10gix.com



Enterprise Storage Solutions / Jbod - J1800142U


Jbod J1800 - 604U Enterprise Storage Solutions

S1800-12-2u network attached storage is an affordable NAS appliance harnessing the innovations of Windows Storage Server 2012.

- 60 x 3.5" top-loading hot-swappable HDD supported
- Zoning support (1 x 60 HDDs, 2 x 30 HDDs, 4 x 15 HDDs) Dual expanders
- Self-configuration to host and client
1890W 3+1 or 1350W 2+2 redundant 80+ power supply



Enterprise storage systems category covers Fibre Channel and SCSI SANs, network-attached storage, multiprotocol systems, direct-attached storage, hard disk drives, solid-state storage, disk controllers, caching appliances, storage virtualization appliances and cloud storage gateway appliances. This year's storage systems category winners are a multiprotocol array that can be used as an all-flash system, a storage system that delivers quality of service and a flash memory array that comes with a 10-year warranty for multi-level cell (MLC) flash.



Product Datasheets >

Get the details on award-winning 10GiX® storage solutions. Datasheets supply information such as overviews of key features and benefits, product images, typical configurations, and model

Title	Date	File Type	Download
Compatibility Document Interoperability Report for MegaRAID Value and Feature 8Gb/s SAS Controllers	Apr 15, 2012	PDF, 607.5K	
Evaluation Board Resources LSI MegaRAID Advanced Software Evaluation Guide V3.0	Aug 22, 2011	PDF, 1.7MB	
Miscellaneous Four-Port Internal - Four-Port External 8Gb/s PCI Express SATA/SAS RAID Controller	Oct 16, 2013	PDF, 28.1K	
Product Brief Product Brief	Dec 27, 2010	PDF, 487K	
Product Guide Product Guide	Feb 11, 2011	PDF, 607.5K	
Quick Installation Guide Quick Installation Guide	Apr 15, 2012	PDF, 338K	
Solution Brief Archon EdtStor ES uses LSI storage to help deliver speed, flexibility.	Aug 22, 2011	PDF, 1.7MB	
Technical Brief Technical Brief	Oct 16, 2013	PDF, 28.1K	
User Guide User Guide	Dec 27, 2010	PDF, 487K	
White Paper White Paper	Feb 21, 2011	PDF, 338K	

Products

- Storage
- Backup and Archive
- Cloud
- Big Data
- Security
- Content Management

Enterprise Storage Solutions

- Information
- Consumer SSDs
- Memory Caching/Enterprise Storage Solutions
- Business Computing Solutions
- Mobile Solutions for OEMs
- Knowledge Base
- Support Forum
- Ask a Question
- Register Product
- Warranty and User Guides

Support

- Email
- General "non-technical" questions, concerns, or Website feedback.
- For technical questions, please see our "Support directory" section.
- Customer support
- Contracts, order status, delivery, inventory.

Contact

- Israel - Tel Aviv
- 14 Steinshneider Street, Tel-Aviv, Israel
- +972-3-631.0003
- +972-3-7396923
- sales@10gix.com
- support@10gix.com
- http://10gix.com
- Europe Sales
- London - United Kingdom
- +44(0)20481333372
- +44(0)20481333372



Enterprise Storage Solutions / J Series / Jbod - J1800142U

Jbod J1800 - 604U Enterprise Storage Solutions

S1800-12-2U network attached storage is an affordable NAS appliance harnessing the innovations of Windows Storage Server 2012.



- 60 x 3.5" top-loading hot-swappable HDD supported
- Zoning support (1 x 60 HDDs, 2 x 30 HDDs, 4 x 15 HDDs Dual expanders)
- Self-configuration to host and client
1890W 3+1 or 1350W 2+2 redundant 80+ power supply



Enterprise storage systems category covers Fibre Channel and SCSI SANs, network-attached storage, multiprotocol systems, direct-attached storage, hard disk drives, solid-state storage, disk controllers, caching appliances, storage virtualization appliances and cloud storage gateway appliances. This year's storage systems category winners are a multiprotocol array that can be used as an all-flash system, a storage system that delivers quality of service and a flash memory array that comes with a 10-year warranty for multi-level cell (MLC) flash.




Watch video of the Jbod J1800 - 604U



The Jbod J1800 - 604U is an external 12 bay RAID subsystem for the S1800 Series. The subsystem provides a multi-lane Serial Attached SCSI (SAS) host interface, delivering exemplary performance for surveillance applications. Scalable with enterprise-level SAS drives or cost-effective SATA drives, the subsystem also enables tiered storage for effective data lifecycle management.

Related Videos >



עיצוב אתר : חלוקת גריד לכתבות ותמונות

10GiX Products Enterprise Storage Solutions Support [want to buy?](#) [Newslroom](#) [Contact](#)

Enterprise Storage Solutions
Our powerful, affordable network engines emphasize scalability and reliability.

Storage Solutions
Discover what you need to back up, protect and consolidate important data.

Enterprise Storage Solutions
Control, manage and protect your network easily and automatically with

The Ultimate Storage Solutions for your Business

APPLICATIONS: Database Server - Medical Imaging - File Server - Web Server - NAS - Near-line Storage Server - CCTV Surveillance DMR - Digital Content Delivery

2U 12BAY STORAGE APPLIANCE SAS Provides Flexibility on Throughput, High-Availability & Scalability

Optional: 2-4U 12-60BAY SAS JBOD EXPANDER



Ultimate SAS Storage for SMB, SMBE & SME

SMB Solution
for small business



\$1800 - 142U
2U 14BAY STORAGE APPLIANCE

SMBE Solution
for middle business










\$1800 - 183U
3U 18BAY STORAGE APPLIANCE

SME Solution
for big business



J1800 - 604U
4U 60BAY STORAGE APPLIANCE










Enterprise Storage Solutions

enterprise storage systems category covers Fibre Channel and iSCSI SANs, network-attached storage, multiprotocol systems, direct-attached storage, hard disk drives, solid-state storage, disk controllers, caching appliances, storage virtualization appliances and cloud storage gateway appliances.

This year's storage systems category winners are a multiprotocol array that can be used as an all-flash [with 10-year warranty for multi-level cell \(MLC\) flash](#) and a flash memory array that comes with a 10-year warranty for multi-level cell (MLC) flash.

[Learn More](#)




Enterprise Storage Solutions

enterprise storage systems category covers Fibre Channel and iSCSI SANs, network-attached storage, multiprotocol systems, direct-attached storage, hard disk drives, solid-state storage, disk controllers, caching appliances, storage virtualization appliances and cloud storage gateway appliances.

This year's storage systems category winners are a multiprotocol array that can be used as an all-flash system, a storage system that delivers quality of service and a flash memory array that comes with a 10-year warranty for multi-level cell (MLC) flash.

[Learn More](#)



עיצוב אתר : טבלאות ומפרט טכני


Products
Enterprise Storage Solutions
Support
where to buy?
NewsRoom
Contact

SMB Solution
for small business



Enterprise Storage Solutions

SMBE Solution
for middle business



Storage Solutions

SME Solution
for big business



Huge Storage Solutions

Enterprise Storage Solutions / Jbod / Jbod - J1800142U

Jbod J1800 - 604U

Enterprise Storage Solutions

S1800-12-2U network attached storage is an affordable NAS appliance harnessing the innovations of Windows Storage Server 2012.

- 40 x 3.5" top-loading hot-swappable HDD supported
- Zoning support (1 x 60 HDDs, 2 x 30 HDDs, 4 x 15 HDDs) Dual expanders
- Self-configuration to host and client
1890W 3+1 or 1350W 2+2 redundant 80+ power supply










Enterprise storage systems category covers Fibre Channel and SCSI SANs, network-attached storage, multiprotocol systems, direct-attached storage, hard disk drives, solid-state storage, disk controllers, caching appliances, storage virtualization appliances and cloud storage gateway appliances. This year's storage systems category winners are a multiprotocol array that can be used as an all-flash system, a storage system that delivers quality of service and a flash memory array that comes with a 10-year warranty for multi-level cell (MLC) flash.










Overview
Features
Product details
Video
Download
Download

Specification :

Processor	
Dimensions/Mechanical Drawing	4832 x 640 x 88 mm , 19 x 26 x 3.5 inches
Industry Standard	EM643100
Materials	Heavy-duty pre-painted SPOC, cold-rolled steel
Color	Front Panel: Black
Cooling	Middle: 3 x 80x38mm swingblade fans
Power Supply	800W single PSU (80+ Silver) 1350W single PSU (80+ Silver) 1890W 1+1 hot-swappable redundant 80+ Silver
Heavy-duty pre-paint	Heavy-duty pre-painted SPOC, cold-rolled steel

Accessories

Bezel1	
Dimensions/Mechanical Drawing	4832 x 640 x 88 mm , 19 x 26 x 3.5 inches
Industry Standard	EM643100
Materials	Heavy-duty pre-painted SPOC, cold-rolled steel
Color	Front Panel: Black
Power Supply	800W single PSU (80+ Silver) 1350W single PSU (80+ Silver) 1890W 1+1 hot-swappable redundant 80+ Silver
Heavy-duty pre-paint	Heavy-duty pre-painted SPOC, cold-rolled steel

Accessories

Bezel2	
Dimensions/Mechanical Drawing	4832 x 640 x 88 mm , 19 x 26 x 3.5 inches
Industry Standard	EM643100
Materials	Heavy-duty pre-painted SPOC, cold-rolled steel
Color	Front Panel: Black
Power Supply	800W single PSU (80+ Silver) 1350W single PSU (80+ Silver) 1890W 1+1 hot-swappable redundant 80+ Silver
Heavy-duty pre-paint	Heavy-duty pre-painted SPOC, cold-rolled steel

Accessories

Bezel3	
Dimensions/Mechanical Drawing	4832 x 640 x 88 mm , 19 x 26 x 3.5 inches
Industry Standard	EM643100
Materials	Heavy-duty pre-painted SPOC, cold-rolled steel
Color	Front Panel: Black
Power Supply	800W single PSU (80+ Silver) 1350W single PSU (80+ Silver) 1890W 1+1 hot-swappable redundant 80+ Silver
Heavy-duty pre-paint	Heavy-duty pre-painted SPOC, cold-rolled steel

עיצוב רקע למסך BIOS המופיע בזמן הדלקת המכונה

10GiX

Enterprise Storage Solutions

עיצוב אתר לפתרונות אחסון מתקדמים

MaximumASP™ פתרונות אחסון מקצועיים

שיחת חינם: 1-800-256-256 | תמיכה סניכית | פאנל ניהול

פתרונות מתקדמים | אזור הלקוחות | תמיכה | אודותינו | צור קשר

Cloud VPS Hosting

Virtual Private Server Hosting

עכשיו כל אחד יכול להרשות לעצמו את האמינות, האבטחה ויכולת ההרחבה של הענן.

הזמן עכשיו

אחסון בלונדון | הזרמת מדיה | אחסון אתרים | שרתים וירטואליים VPS

קבל חשבון מנוהל ענן, כך שתוכל להתמקד במה שאתה טוב בו. ותן למומחים המיומנים שלנו להתמודד עם כל דבר אחר.

לפרטים

שרתים וירטואליים

שרתים וירטואליים

במסגרת פתרונות הענן אותם אנו מציעים, קיימות מספר קונפיגורציות של שרתים וירטואליים (VPS - Private Virtual Server). ה-VPS הזו הפיתרון המושלם עבור אתרים מפולריים, גדולים בעלי ריבוי גולשים המגלים תצורה גדולה.

האצת יישומים

האצת יישומים

MaximumASP מספקת לארגונים מבחורים פתרון ניתן להתאמה להאצת ההעברה של יישומים ושרתים עסקיים מבוססי ווב או בסיסי נתונים- CRM, ERP, CRM, דואר אלקטרוני ושרתים קבצים וכן שירותי קוד, וידאו וטרמינל ...

אחסון אתרים

אחסון אתרים

- אנו מאחסנים עשרות אלפי אתרים.
- האחסון שלנו מתאים לורדרפרס.
- האחסון שלנו מתאים ל Joomla.
- אינו גובים דמי תחזוקה.
- השרתים מנוהלים 24 ש' ביממה.

מי אנחנו?

מערכת ניטור שרתים וניטור תקשורת וכתובות רשת אוטומטית ממוחשבת החולשת על מערך תקשורת הנתונים של העסק, מסוגלת להתריע על תקלות מראש ולספק בהן, בכך אנו מונעים פגיעה בפעילות השוטפת של הארגון. תוכנת הניטור מותקנת על שרת שממוקם ומפועל ממטה החברה, מה שמאפשר לנו להיות כל הזמן עם היד על הדופק ולהעניק שירות בזמן אמת. התפקיד שלנו הוא לדאוג שמערכת המחשוב בעסק שלך תישאר בריאה בכל רגע נתון וזמינה כל הזמן.

MaximumASP™

Redundant Network

הקץ לדאגות עם מערכת הניטור של MaximumASP

מערכת ניטור שרתים וניטור תקשורת וכתובות רשת אוטומטית ממוחשבת החולשת על מערך תקשורת הנתונים של העסק, מסוגלת להתריע על תקלות מראש ולספק בהן, בכך אנו מונעים פגיעה בפעילות השוטפת של הארגון. תוכנת הניטור מותקנת על שרת שממוקם ומפועל ממטה החברה, מה שמאפשר לנו להיות כל הזמן עם היד על הדופק ולהעניק שירות בזמן אמת. התפקיד שלנו הוא לדאוג שמערכת המחשוב בעסק שלך תישאר בריאה בכל רגע נתון וזמינה כל הזמן.

מהירות רשת 10G

הקץ לדאגות עם מערכת הניטור של MaximumASP

מערכת ניטור שרתים וניטור תקשורת וכתובות רשת אוטומטית ממוחשבת החולשת על מערך תקשורת הנתונים של העסק, מסוגלת להתריע על תקלות מראש ולספק בהן, בכך אנו מונעים פגיעה בפעילות השוטפת של הארגון. תוכנת הניטור מותקנת על שרת שממוקם ומפועל ממטה החברה, מה שמאפשר לנו להיות כל הזמן עם היד על הדופק ולהעניק שירות בזמן אמת. התפקיד שלנו הוא לדאוג שמערכת המחשוב בעסק שלך תישאר בריאה בכל רגע נתון וזמינה כל הזמן.

CDN בארץ ובחו"ל

הקץ לדאגות עם מערכת הניטור של MaximumASP

מערכת ניטור שרתים וניטור תקשורת וכתובות רשת אוטומטית ממוחשבת החולשת על מערך תקשורת הנתונים של העסק, מסוגלת להתריע על תקלות מראש ולספק בהן, בכך אנו מונעים פגיעה בפעילות השוטפת של הארגון. תוכנת הניטור מותקנת על שרת שממוקם ומפועל ממטה החברה, מה שמאפשר לנו להיות כל הזמן עם היד על הדופק ולהעניק שירות בזמן אמת. התפקיד שלנו הוא לדאוג שמערכת המחשוב בעסק שלך תישאר בריאה בכל רגע נתון וזמינה כל הזמן.

שרתי IBM

הקץ לדאגות עם מערכת הניטור של MaximumASP

מערכת ניטור שרתים וניטור תקשורת וכתובות רשת אוטומטית ממוחשבת החולשת על מערך תקשורת הנתונים של העסק, מסוגלת להתריע על תקלות מראש ולספק בהן, בכך אנו מונעים פגיעה בפעילות השוטפת של הארגון. תוכנת הניטור מותקנת על שרת שממוקם ומפועל ממטה החברה, מה שמאפשר לנו להיות כל הזמן עם היד על הדופק ולהעניק שירות בזמן אמת. התפקיד שלנו הוא לדאוג שמערכת המחשוב בעסק שלך תישאר בריאה בכל רגע נתון וזמינה כל הזמן.

זמינות 99.9

הקץ לדאגות עם מערכת הניטור של MaximumASP

מערכת ניטור שרתים וניטור תקשורת וכתובות רשת אוטומטית ממוחשבת החולשת על מערך תקשורת הנתונים של העסק, מסוגלת להתריע על תקלות מראש ולספק בהן, בכך אנו מונעים פגיעה בפעילות השוטפת של הארגון. תוכנת הניטור מותקנת על שרת שממוקם ומפועל ממטה החברה, מה שמאפשר לנו להיות כל הזמן עם היד על הדופק ולהעניק שירות בזמן אמת. התפקיד שלנו הוא לדאוג שמערכת המחשוב בעסק שלך תישאר בריאה בכל רגע נתון וזמינה כל הזמן.

ניטור שרתים

הקץ לדאגות עם מערכת הניטור של MaximumASP

מערכת ניטור שרתים וניטור תקשורת וכתובות רשת אוטומטית ממוחשבת החולשת על מערך תקשורת הנתונים של העסק, מסוגלת להתריע על תקלות מראש ולספק בהן, בכך אנו מונעים פגיעה בפעילות השוטפת של הארגון. תוכנת הניטור מותקנת על שרת שממוקם ומפועל ממטה החברה, מה שמאפשר לנו להיות כל הזמן עם היד על הדופק ולהעניק שירות בזמן אמת. התפקיד שלנו הוא לדאוג שמערכת המחשוב בעסק שלך תישאר בריאה בכל רגע נתון וזמינה כל הזמן.



OVIDIUS™

3rd party CDN integration

Manage CDN System

Our recommendation is to use the CAST TIME® complete system – that includes our own UK and Middle East based CDNs. However, we realize that in some circumstances a customer may need to use an external CDN. We have that covered too. The CAST TIME® system includes a web-based CDN management panel that enables you to upload or delete video content from the 3rd party CDN – with full and transparent synchronization, status and statistics reporting.



IPTV Platform Digital Television

Internet Protocol television (IPTV) is a system through which television services are delivered using the Internet protocol suite over a packet-switched network such as the Internet, instead of being delivered through traditional terrestrial, satellite signal, and cable television formats.

IPTV services may be classified into three main groups:

- live television, with or without interactivity related to the current TV show;
- time-shifted television: catch-up TV (replays a TV show that was broadcast hours or days ago), start-over TV (replays the current TV show from its beginning);
- video on demand (VOD): browse a catalog of videos, not related to TV programming.



SATIUS™ Professional IPTV pipeline High-definition Video & Audio on demand

Internet Protocol television (IPTV) is a system through which television services are delivered using the Internet protocol suite over a packet-switched network such as the Internet, instead of being delivered through traditional terrestrial, satellite signal, and cable television formats.

IPTV services may be classified into three main groups:


- live television, with or without interactivity related to the current TV show;
- time-shifted television: catch-up TV (replays a TV show that was broadcast hours or days ago), start-over TV (replays the current TV show from its beginning);
- video on demand (VOD): browse a catalog of videos, not related to TV programming.





Mobile Device - Any Device, Anywhere

A myriad of technologies, applications and interfaces are required in order to deliver your video content to your selected audience. You may then wish to include appropriate advertising options, related video content (outbrain), customize the video player with your own logo and branding, interface to your ad serving platform and to your own Content Management System. If the various system components are sourced from different vendors and service providers, this can be an extremely daunting undertaking. We at CAST TIME® believe this entire process should be 100% transparent to you, the content owner, publisher or broadcaster. You describe your vision of an ideal system - we implement it. Best of all? This is all included in your subscription plan cost. No added costs, no hidden surprises.



Ovidius™ Video Platform

Ingest Workflow
Cloud Encoding
Content Management
Media Delivery
HTML5 Video
Mobile Device
Live Streaming Studio
Real-Time

Extensive Report
Playlist Capabilities
Tailor-Made Player
Social Media
Any Service Integration
3rd party CDN Management
Youtube Sync
User Generated Content (UGC)

Solutions

Live Event
Video-on-Demand
Video Monetization
Video App Development
Mobile Streaming
CMS Integration
OTT Platform
Adaptive CDN Infrastructure

Services

Media Delivery
Security
Video Streaming
IPTV Platform
CloudBase CMS

Show Case

Live Event
Video-on-Demand
Video Monetization
Video App Development
Mobile Streaming
CMS Integration
OTT Platform
Adaptive CDN Infrastructure

Company

Extensive Report
Playlist Capabilities
Tailor-Made Player
Social Media
Any Service Integration
3rd party CDN Management
Youtube Sync

Contacts

Media Delivery
Security
Video Streaming
IPTV Platform
CloudBase CMS



DRM - Digital Right Management

To share and protect

Adobe digital rights management (DRM) solutions, leveraging Adobe® LiveCycle® Rights Management ES2 technology, enable more secure collaboration by helping to maintain control over processes such as product development collaboration, supplier collaboration, work instructions, and field service management. With Adobe solutions for digital rights management, you can:

- Reduce the risk of theft and misuse of sensitive information.
- Protect, manage, and monitor the use of sensitive documents outside the firewall.
- Eliminate costly design errors through relation control during the design process and across the supply chain.
- Rights manage sensitive information from a wide range of applications and file formats.



Tokenization Client & Server Side Video Token Module

Key Generation, Encryption, and Cryptographic Functions

Due to their history, some key managers also offer cryptographic functions, such as:

- Key generation
- Encryption and decryption
- Key rotation
- Digital signing

Key generation and rotation options are fairly common because they are important parts of the key management lifecycle, encryption and decryption are less common.



Stream Encryption Streaming Over HTTPS & RTMPE/S



Streamed content is encrypted by the Flash Media Server "on the fly," so that there is no need to encrypt the source file (a significant difference from Microsoft's DRM). For transmission ("streaming"), a special protocol is required: either RTMPE or RTMPS. RTMPS uses SSL-encryption. In contrast, RTMPE is designed to be simpler than RTMPS, by removing the need to acquire a SSL Certificate. RTMPE makes use of well-known industry standard cryptographic primitives, consisting of Diffie-Hellman key exchange and HMAC-SHA256, generating a pair of PKC keys, one of which is then used to encrypt the media data sent by the server (the audio or video stream), while the other key is used to encrypt any data sent to the server. RTMPE caused less CPU load than RTMPS on the Flash Media Server. Adobe fixed the security issue in January 2009, but did not fix the security holes in the design of the RTMPE algorithm itself!! Analysis of the algorithm shows that it relies on security through obscurity. Amongst other things, this renders RTMPE vulnerable to Man in the Middle attacks.

GeoBlocking Excluding Targeted Internet Address

The practice of preventing users from viewing Web sites and downloading applications and media based on location. Used by companies to block foreign material as well as by movie and TV studios to restrict viewing to specific regions, geo-blocking is accomplished by excluding targeted Internet addresses.



SWF Verification Video Player Authorization

SWF Verification protects your content by preventing unauthorized clients from accessing it. To enable SWF Verification for HTTP streaming, you need to enable Protected HTTP Streaming (PHES).

PHES is used to serve protected content to Flash Player and AIR-based clients, over HTTP, without using a DRM license server. With PHES, when Adobe Media Server encrypts and packages the content, it generates a license using the Shared domain certificates and embeds it into the DRM metadata of the content stream that is delivered with the media. The Flash Player and AIR clients then retrieve the license from the content stream and use it for decryption, eliminating the need to communicate with a license server.

CastTime™ Video Platform	Solutions	Services	Show Case	Company	Contacts
Report Workflow	Estimate Report	Live Event	Media Delivery	User Event	Estimate Report
Cloud Encoding	Public Content	Video on Demand	Security	Video on Demand	Public Content
Content Management	Video Assets Portal	Video Monetization	Video Streaming	Video Monetization	Video Assets Portal
Media Delivery	Social Media	Video App Development	RTV Platform	Video App Development	Social Media
HTML5 Video	Any Service Integration	Mobile Streaming	CloudFlow CMS	Mobile Streaming	Any Service Integration
Mobile Device	3rd party CDN Management	CRM Integration	CRM Integration	3rd party CDN Management	CRM Integration
User Streaming Studio	YouTube Sync	OTT Platform	OTT Platform	YouTube Sync	OTT Platform
Real Time	User Generated Content (UGC)	Adaptive CDN Infrastructure	Adaptive CDN Infrastructure		

Footer Design

2013 by CASTTIME © כל הזכויות שמורות לפרודי-ג'יי בע"מ

כתוב לנו
support@prodj.co.il
sales@prodj.co.il

צור קשר
ט: 03-5000000
פ: 03-5000000

משרד ראשי
רח' שטיינשניידר 14,
תל-אביב, מיקוד 000000

2013 by CASTTIME © כל הזכויות שמורות לפרודי-ג'יי בע"מ

כתוב לנו
support@prodj.co.il
sales@prodj.co.il

צור קשר
ט: 03-5000000
פ: 03-5000000

משרד ראשי
רח' שטיינשניידר 14,
תל-אביב, מיקוד 000000

2013 by CASTTIME © כל הזכויות שמורות לפרודי-ג'יי בע"מ

כתוב לנו
support@prodj.co.il
sales@prodj.co.il

צור קשר
ט: 03-5000000
פ: 03-5000000

משרד ראשי
רח' שטיינשניידר 14,
תל-אביב, מיקוד 000000

2013 by CASTTIME © כל הזכויות שמורות לפרודי-ג'יי בע"מ

כתוב לנו
support@prodj.co.il
sales@prodj.co.il

צור קשר
ט: 03-5000000
פ: 03-5000000

משרד ראשי
רח' שטיינשניידר 14,
תל-אביב, מיקוד 000000

2013 by CASTTIME © כל הזכויות שמורות לפרודי-ג'יי בע"מ

כתוב לנו
support@prodj.co.il
sales@prodj.co.il

צור קשר
ט: 03-5000000
פ: 03-5000000

משרד ראשי
רח' שטיינשניידר 14,
תל-אביב, מיקוד 000000

תכנון ועיצוב טפסים מקוונים

שם משתמש / דוא"ל: סימא: הכנס משתמש חדש שכחתי סימא שלום אורח, התחבר

חפש מוצר בחנות



ראשי | מבצעים חמים | מוצרים חדשים | קטלוג מוצרים | וידאו | לוח יד שניה | אודותינו | צור קשר

ראשי | הרשמה / התחברות

לקוח רשום

שם משתמש / דוא"ל:
שם המשתמש / דוא"ל שהזנת אינך קיים במערכת

סימא:
סימא שגויה

שכחת את שם המשתמש / סימא? לחץ כאן

שלח טופס

לקוח חדש

לקוח חדש, הצטרף עכשיו לפרו די-ג'יי

* שם מלא:
יש להזין שם מלא

* שם העסק:
יש להזין את שם העסק

* שם משתמש:
יש להזין שם משתמש

* סימא:
יש להזין סימא המכילה לפחות 8 תווים

* דוא"ל:
יש להזין דוא"ל חוקי

* טלפון:
יש להזין טלפון חוקי

טל. נייד:

רחוב:

עיר:

מיקוד:

מעוניין לקבל עדכונים ומבצעים לדואר אלקטרוני.

איני מעוניין לקבל עדכונים ומבצעים לדואר אלקטרוני.

שלח טופס

קטלוג מוצרים

תאורה מקצועית

אודיו מקצועי

מבצעים חמים

סל הקניות

מוצרים בסל: 0

לקופה

רשימת סניפים

סניף תל-אביב

רח' שטיינשניידר 14, תל-אביב
טלפון: 1-800-256-256

סניף חדרה

רח' שטיינשניידר 14, חדרה
טלפון: 1-800-256-256

סניף חיפה

רח' שטיינשניידר 14, קרית חיים
טלפון: 1-800-256-256

אנו מכבדים את כל סוגי האשראי




2013 by CASTTIME ©
כל הזכויות שמורות
לפרודי-ג'יי בע"מ

כתוב לנו
support@prodj.co.il
sales@prodj.co.il

צור קשר
ט: 03-5000000
פ: 03-5000000

משרד ראשי
רח' שטיינשניידר 14,
תל-אביב, מיקוד 000000

עיצוב תמונה לאתר
תלת מימד באילוסטריטור



עיצוב תמונות לאתר
תלת מימד באילוסטריטור



אחרי ריטוש



לפני ריטוש



The End

לפרטים נוספים ויצירת קשר

גרי גני 052-2756006